

MPI-2 RMA Operation Compatibility

	Load	Store	Get	Put	Acc
Load	OVL+NOVL	OVL+NOVL	OVL+NOVL	NOVL	NOVL
Store	OVL+NOVL	OVL+NOVL	NOVL	X	X
Get	OVL+NOVL	NOVL	OVL+NOVL	NOVL	NOVL
Put	NOVL	X	NOVL	NOVL	NOVL
Acc	NOVL	X	NOVL	NOVL	OVL+NOVL

This matrix shows the compatibility of MPI-RMA operations when two or more processes access a window at the same target during concurrent (e.g. shared lock) epochs.

OVL – Overlapping operations permitted

NOVL – Nonoverlapping operations permitted

X – Operations cannot be combined

MPI-3 RMA Operation Compatibility

	Load	Store	Get	Put	Acc
Load	OVL+NOVL	OVL+NOVL	OVL+NOVL	NOVL	NOVL
Store	OVL+NOVL	OVL+NOVL	NOVL	NOVL	NOVL
Get	OVL+NOVL	NOVL	OVL+NOVL	NOVL	NOVL
Put	NOVL	NOVL	NOVL	NOVL	NOVL
Acc	NOVL	NOVL	NOVL	NOVL	OVL+NOVL

This matrix shows the compatibility of MPI-RMA operations when two or more processes access a window at the same target during concurrent (e.g. shared lock) epochs.

OVL – Overlapping operations permitted

NOVL – Nonoverlapping operations permitted

X – Operations cannot be combined